

### Material specification

- Powder galvanized and powder coated or stainless steel construction of 80 x 80 mm profile,
- Safe end caps on top of the structure made of rubber or polypropylene,
- Stainless steel screws and/or screws covered with plastic caps,

### Product technical sheet

## CLIMBOO 1750



3 - 14 years



7 kids



16.2 m<sup>2</sup>



Physical development



pull-up






climbing





**3**  
number of activity elements



## Product technical sheet

# CLIMBOO 1750

### Product data

Length	229 cm
Width	155 cm
Total height	166 cm
Age group	3 - 14 years
Number of users	7 kids
Safety zone	16.2 m2
Free fall height	147 cm
In accordance with norm EN	1176-1:2017
Weight of the heaviest part	11 kg
Dimensions of the largest part	215x8x8 cm
Availability of spare parts	YES
Installation time	1 h

Data is subject to change without prior notice.

### Additional information

- equipment intended for public playgrounds;
- equipment has a certificate issued by an accredited entity or a declaration of conformity;
- no sharp edges or chinks that would pose a danger of jimmieing the head, fingers or any other body parts;
- anchoring on flat surface, 80/70/60 cm deep;
- render is for reference only, the actual appearance of the equipment and its color may vary;

### Guarantee

**30** 30 year guarantee - Structural strength of steel and stainless steel components

**15** 15 year guarantee - Structural failure of steel and stainless steel, for dynamic equipment

**10** 10 year guarantee - Structural failure of high density polyethylene and high pressure laminates components

**5** 5 year guarantee - Corrosion of stainless steel and hot dip galvanized and powder coated components; against bark beetles and rot in case of wooden structural elements

Detailed information in the guarantee card



## Surfaces according to EN 1176-1:2017

	Description (mm)	Layer thickness (cm)	Maximum fall heights (cm)
Turf/ top layer of soil (A,B,C)	-	-	≤100
bark (A,C)	Particle size from 20 to 80	30	≤200
		40	≤300
woodchips (A,C)	Particle size from 5 to 30	30	≤200
		40	≤300
sand or gravel (A,C)	Particle size from 0,25 to 8	30	≤200
		40	≤300
synthetic attested (A,B,C)	Tested according to EN 1177		147

## Product technical sheet

# CLIMBOO 1750

### Amount of safe surface corresponding with free fall height:

HIC 90	3,2 m <sup>2</sup>
HIC 130	3,2 m <sup>2</sup>
HIC 147	9,8 m <sup>2</sup>

Data is subject to change without prior notice.

