#### **Product technical sheet**











14+


< 140 kg 14,7 m2

#### **Product data**

| Length                         | 153 cm      |  |
|--------------------------------|-------------|--|
| Width                          | 89 cm       |  |
| Total height                   | 90 cm       |  |
| Age group                      | 14+ years   |  |
| Maximum weight of user         | 140 kg      |  |
| Safety zone                    | 14,7 m2     |  |
| Free fall height               | <60 cm      |  |
| In accordance with norm EN     | 16630:2015  |  |
| Weight of the heaviest part    | 40 kg       |  |
| Dimensions of the largest part | 145x4x55 cm |  |
| Availability of spare parts    | YES         |  |
| Installation time              | 1,5 h       |  |

Data is subject to change without prior notice.











**Vinci Group Sp. z o.o.** Seminaryjna 9 Street 99-400 Łowicz

VAT: 534-250-14-46

PHONE: +48 42 203 24 99 ext. 26

M: +48 793 404 991



biuro@vinci-play.com info@vinci-play.com www.vinci-play.com

### **Material specification**



Construction made of Robinia - very durable acacia wood with a diameter of  $\sim 18~\text{cm}$  without sharp edges, resistant to weather conditions.



Aluminum exercise instructions plate screwed to HDPE plate, resistant to weather conditions,



Seats/backrests made of durable HPL plate, resistant to weather conditions,



Stainless steel bars with a diameter of 38 mm for a comfortable grip during exercises.



Stainless steel screws and/or screws covered with plastic caps,

#### Vinci Group Sp. z o.o. Seminaryjna 9 Street 99-400 Łowicz

VAT: 534-250-14-46


PHONE: +48 42 203 24 99 ext. 26


M: +48 793 404 991


# Additional information


- equipment intended for public playgrounds;
- equipment has a certificate issued by an accredited entity or a declaration of conformity;
- no sharp edges or chinks that would pose a danger of jimming the head, fingers or any other body parts;
- anchoring on flat surface, 80 cm deep;
- render is for reference only, the actual appearance of the equipment and its color may vary;

#### **Guarantee**









Detailed information in the guarantee card



# Amount of safe surface corresponding with free fall height:


|   | $\sim$ |                   |
|---|--------|-------------------|
| н | 11     | <hi< td=""></hi<> |
|   |        |                   |

14,7 m<sup>2</sup>

Data is subject to change without prior notice.

## **Surfaces according to EN 16630:2015**

|   | Description (mm)                  | Layer thickness<br>(cm) | Maximum fall height<br>(cm) |
|---|-----------------------------------|-------------------------|-----------------------------|
| Concrete / stone / bituminous<br>surfaces (A, B, C) | -                                 | -                       | ≤100                        |
| outer soil layer (A,B,C)                            | -                                 | -                       | ≤120                        |
| Turf (A,B,C)  | -                                 | -                       | ≤150                        |
| bark (A,C)  | Particle size from 20 to<br>80    | 30                      | ≤200                        |
|   |                                   | 40                      | ≤300                        |
| wood shavings/cuttings (A, C)                       | Particle size from 5 to 30        | 30                      | ≤200                        |
|   |                                   | 40                      | ≤300                        |
| sand (A,C)  | Particle size from 0,2 to<br>2 mm | 30                      | ≤200                        |
|   |                                   | 40                      | ≤300                        |
| gravel (A,C)  | Particle size from 2 to 8         | 30                      | ≤200                        |
|   |                                   | 40                      | ≤300                        |
| attested synthetic (A, B, C)                        | Tested according to EN 1177       |                         | <60                         |



**Vinci Group Sp. z o.o.** Seminaryjna 9 Street 99-400 Łowicz VAT: 534-250-14-46

PHONE: +48 42 203 24 99 ext. 26

M: +48 793 404 991



biuro@vinci-play.com info@vinci-play.com www.vinci-play.com