#### Product technical sheet

## WORKOUT RB2315




#### Product data

Length	242 cm	
Width	59 cm	
Total height	250 cm	
Age group	14+ years	
Maximum weight of user	140 kg	
Safety zone	17,9 m2	
Free fall height	139 cm	
In accordance with norm EN	16630:2015	
Weight of the heaviest part	81 kg	
Dimensions of the largest part	18x18x250 cm	
Availability of spare parts	YES	
Installation time	1 h	

Data is subject to change without prior notice.





052



Vinci Group Sp. z o.o. Seminaryjna 9 Street 99-400 Łowicz VAT: 534-250-14-46 PHONE: +48 42 203 24 99 ext. 26 M: +48 793 404 991



biuro@vinci-play.com info@vinci-play.com www.vinci-play.com

vinci play







1/3

#### **Material specification**



Construction made of Robinia - very durable acacia wood with a diameter of  $\sim 18~{\rm cm}$  without sharp edges, resistant to weather conditions,



Stainless steel screws and/or screws covered with plastic caps,

Vinci Group Sp. z o.o. Seminaryjna 9 Street 99-400 Łowicz VAT: 534-250-14-46 PHONE: +48 42 203 24 99 ext. 26 M: +48 793 404 991

30/08/2021



Aluminum exercise instructions plate screwed to HDPE plate, resistant to weather conditions. Stainless steel bars with a diameter of 38 mm for a comfortable grip during exercises.

#### **Additional information**

- device intended for public outdoor gyms;
- equipment has a certificate issued by an accredited entity or a declaration of conformity;
- no sharp edges or chinks that would pose a danger of jimming the head, fingers or any other body parts;
- anchoring on flat surface, 100 cm deep;
- render is for reference only, the actual appearance of the equipment and its color may vary;

#### Guarantee



30 year guarantee - Structural strength of steel and stainless steel components

- 15
- 15 year guarantee Structural failure of steel and stainless steel, for dynamic equipment



10 year guarantee - Structural failure of high density polyethylene and high pressure laminates components

5 year guarantee - Corrosion of stainless steel and hot dip galvanized and powder coated components; against bark beetles and rot in case of wooden structural elements

Detailed information in the guarantee card

# wôrkôut

biuro@vinci-play.com info@vinci-play.com www.vinci-play.com

2/3

#### Amount of safe surface corresponding with free fall height:

VAT: 534-250-14-46

M: +48 793 404 991

PHONE: +48 42 203 24 99 ext. 26

HIC 139


17,9 m<sup>2</sup>

Data is subject to change without prior notice.


### Surfaces according to EN 16630:2015

	Description (mm)	Layer thickness (cm)	Maximum fall height (cm)
Concrete / stone / bituminous surfaces (A, B, C)	-	-	≤100
outer soil layer (A,B,C)	-	-	≤120
Turf (A,B,C)	-	-	≤150
bark (A,C)	Particle size from 20 to 80	30	≤200
		40	≤300
wood shavings/cuttings (A, C)	Particle size from 5 to 30	30	≤200
		40	≤300
sand (A,C)	Particle size from 0,2 to	30 to	≤200
sanu (A,C)	2 mm	40	≤300
gravel (A,C)	Particle size from 2 to 8	30	≤200
		40	≤300
attested synthetic (A, B, C)	Tested according to EN 1177		139

B



A



biuro@vinci-play.com info@vinci-play.com www.vinci-play.com

wôrkôut

С

20

30/08/2021

99-400 Łowicz

Vinci Group Sp. z o.o. Seminaryjna 9 Street