

# ROBINIA RB1269



2+



8 kids



14,6 m<sup>2</sup>



## Material specification

- Construction made of Robinia - very durable acacia wood with a diameter of ~ 14 cm without sharp edges, resistant to weather conditions,



Physical development



balance





passage



community





## Product technical sheet

# ROBINIA RB1269

### Product data

|                                |                     |
|--------------------------------|---------------------|
| Length                         | 200 cm              |
| Width                          | 60 cm               |
| Total height                   | 30 cm               |
| Age group                      | 2+ years            |
| Number of users                | 8 kids              |
| Safety zone                    | 14,6 m <sup>2</sup> |
| Free fall height               | < 60 cm             |
| In accordance with norm EN     | 1176-1:2017         |
| Weight of the heaviest part    | 13 kg               |
| Dimensions of the largest part | 95,5x14x14 cm       |
| Availability of spare parts    | YES                 |
| Installation time              | 3 h                 |

Data is subject to change without prior notice.

### Additional information

- equipment intended for public playgrounds;
- equipment has a certificate issued by an accredited entity or a declaration of conformity;
- no sharp edges or chinks that would pose a danger of jimmie the head, fingers or any other body parts;
- anchoring on flat surface, 80/70/60 cm deep;
- render is for reference only, the actual appearance of the equipment and its color may vary;

## Guarantee

**30**

30 year guarantee - Structural strength of steel and stainless steel components

**15**

15 year guarantee - Structural failure of steel and stainless steel, for dynamic equipment

**10**

10 year guarantee - Structural failure of high density polyethylene and high pressure laminates components

**5**

5 year guarantee - Corrosion of stainless steel and hot dip galvanized and powder coated components; against bark beetles and rot in case of wooden structural elements

Detailed information in the guarantee card



## Surfaces according to EN 1176-1:2017

|                                 | Description (mm)             | Layer thickness (cm) | Maximum fall heights (cm) |
|---------------------------------|------------------------------|----------------------|---------------------------|
| Turf/ top layer of soil (A,B,C) | -                            | -                    | ≤100                      |
| bark (A,C)                      | Particle size from 20 to 80  | 30                   | ≤200                      |
|                                 |                              | 40                   | ≤300                      |
| woodchips (A,C)                 | Particle size from 5 to 30   | 30                   | ≤200                      |
|                                 |                              | 40                   | ≤300                      |
| sand or gravel (A,C)            | Particle size from 0,25 to 8 | 30                   | ≤200                      |
|                                 |                              | 40                   | ≤300                      |
| synthetic attested (A,B,C)      | Tested according to EN 1177  |                      | < 60                      |

## Product technical sheet

# ROBINIA RB1269

### Amount of safe surface corresponding with free fall height:

HIC <60 14,6 m<sup>2</sup>

Data is subject to change without prior notice.

